



VF108PT

Small distributor,golf,flush,1row,8M,IP40,MS-terminal,Australia,N+PE,white door

Technical properties

Nominal voltage	400 - 400 \
Installation, mounting	
Suitable for outdoor usage	No
Mounting on	Flush mounting
Electric current	
Rated current	80 A
Equipment	
Number of rails	1
Number of rows]
Number of section in width]
With lock	N
Has neutral terminal block	Ye
Has earthing terminal block	Yes
Has mounting plate	Να
Capacity	
Number of modules	8
Functions	
With conduit inlets	Ye
Dimensions	
Height	225 mm
	275 mn
Width	
	97,50 mm
Depth	
Depth Built-in height	189 mm
Depth Built-in height Built-in width	189 mn 242 mn
Width Depth Built-in height Built-in width Built-in depth Number of width units	189 mn 242 mn 72 mn
Depth Built-in height Built-in width Built-in depth	189 mn 242 mn 72 mn
Depth Built-in height Built-in width Built-in depth Number of width units	97,50 mm 189 mm 242 mm 72 mm 8

Materials

M	a	te	ri	a	1

Plastic

RAL code	9010
Colour	Pure white
Ultraviolet-resistant	No
Safety	
Protection class	Isolation class II
Impact resistance IK	IK07

Snap on lock, Without lock

850 °C

Locking type Glow wire test