



20266086

Thermostat, change-over contact, centre plate, Q.x, ant. velvety, lacq.

### Technical properties

#### Functions

With cooling function No

#### Main electrical features

Nominal voltage 250 V

Rated voltage 250 V AC

Frequency 50/60 Hz

#### Electric current

Switching current "Heating" at  $\cos \varphi = 0.6$  4 A

Heating switching current 10 A

"Switching current ""Cooling"" at  $\cos \varphi = 0.6$ " 2 A

"Switching current ""Cooling"""" 5 A

#### Measurement

Range of temperatures 5 / 30 °C

#### Materials

Colour of design line anthracite

Material / workmanship lacquered

#### Installation, mounting

Installation mode without spreader claws

#### Connection

Type of connection with plug-in terminals

#### Equipment

Switching temperature difference  $\approx 0.5$  K

Heating for heating or cooling mode

Control setting knob with temperature range limitation

Valve drives e.g. for valve drives closed in de-energised state

#### Safety

REACH conform Yes

RoHS conform Yes

#### Use conditions

Energy efficiency class I (1%)

#### temperatur

**Identification**

---

Application, usage	HVAC control
Main design line	Berker Q.1/Q.3/Q.7/Q.9
Secondary design line(s)	Berker Q.1 ; Berker Q.3 ; Berker Q.7 ; Berker Q.9

---