



75144865





Touch sensor, 4-gang comf, intg bus coupling unit, KNX - R.1, glass black

Technical properties

Functions	
With room temperature controller	Yes
Function	for switch, push-button, dimmer and shutter func- tions ; Blocking function for sensor surface e.g. for cleaning the glass surface
Compatibility	
Extension unit	extension unit for light scene push-button
Controls and indicators	
With LED indication	Yes
Number of buttons	8

With LED indication	res
Number of buttons	8
Operation	operation by gently touching the sensor surfaces on the white LED
•	

Dimensions

Depth	23 mm
Height	152 mm
Width	81 mm

Power

Current consump	otion	12.5 mA

Measurement

	value transmitter for dimming, position, brightness
Value transmitter	and temperature values 1 and 2 byte

Screen

With display	Yes

Materials

Colour of design line	glass black	
Colour	black	
Surface appearance	glossy	
Type of surface treatment	untreated	

LED control

th blue operation LED and 8 white status LEDs
l

Installation, mounting

Installation mode for vertical mounting

Connection

Bus coupling unit	with integral bus coupling unit
Bus connection	bus connection via connecting terminal
Scope of delivery	
Bus connection included	Yes
Accessories included	
Matching products	for additional products to complement the installation in matching colours/materials, refer to the Design platform R.1/R.3; for suitable frames in the same "style" for additional applications, see the Design line R.x
Equipment	
Number of actuation points	8
With anti-theft/dismantling protection	Yes
Use	
Differentiation characteristic 3 - Sales	with integral bus coupling unit
Safety	
REACH conform	Yes
RoHS conform	Yes
Use conditions	
Operating temperature	-545 °C
Temperature	temperature measurement via internal temperature sensor or external communication object; integrated temperature sensor for operation as controller extension unit; additional connection for external temperature sensor
Identification	
Application, usage	KNX - operating systems
Main design line	KNX - Berker R.1
Secondary design line(s)	KNX ; Berker R.1