

Glass



75164090



1P20

## B.IQ push-button 4gang, KNX - B.IQ, glass p. white

## **Technical properties**

	CT		

With room temperature controller	No
Function	for switch, push-button, dimmer and shutter functions

## Compatibility

Extension unit	extension unit for light scene push-button
----------------	--

## **Controls and indicators**

With LED indication	Yes
Number of buttons	4

#### **Dimensions**

Assembling height	16.7 mm
Height	118.1 mm
Width	88.5 mm

#### Measurement

Value transmitter din	mming / position value transmitter 1 byte
-----------------------	---

## Screen

With display	No
--------------	----

#### Materials

Colour of design line	glass polar white
RAL colour	RAL 9010 - Pure white
Surface appearance	glossy

# Material family

## **LED** control

LED	with blue operation LED and 8 white status LEDs

## Connection

Bus coupling unit	for bus coupling unit flush-mounted
-------------------	-------------------------------------

#### Scope of delivery

Bus connection included	No

## Accessories included

Box for installation in single standard wall boxes

for additional products to complement the installation in matching colours/materials, refer to the Design platform S.1/B.x; for glass frames in the same "style" for additional applications, see the Design line B.7

KNX - Berker B.IQ

KNX; Berker B.IQ

## Matching products

Main design line

Secondary design line(s)

Equipment	
Number of actuation points	8
With anti-theft/dismantling protection	Yes
Product type:	product type: B.IQ
Safety	
REACH conform	Yes
RoHS conform	Yes
Protection	with dismantling protection
Use conditions	
Operating temperature	-545 °C
Identification	
Application, usage	KNX - operating systems
Product family	product family: push-button