

3



FL213B

Polyester enclosure, Orion.Plus, plain door 500x400x200 mm

Technical properties

Functions	
Cover with overpressure release	No
Configuration	
Number of modules	54
Compatibility	
Suitable for lightning protection	No
Electric current	
Rated current	630 A
Dimensions	
Depth of installed product	200 mm
Internal depth	200 mm
Height of installed product	500 mm
Width of installed product	400 mm
Width in division units	18
Thickness of sidewall material	2 mm
Cover, door	
Type of door closing	lock with male triangular wrench
Interlockable	Yes
Number of keylock of the door	2
Cover type	Closed (plain)
Door leave	single
Cover type	Door
Transparent cover or door	No
Materials	
Colour	RAL 7035
Colour	light grey
RAL colour	RAL 7035 - Light grey
Material	glas reeinforced polyester
Type of surface treatment	untreated
Installation, mounting	
Suitable for outdoor use	Yes

Equipment

Number of rows

Number of keys	2
Quantity of rails	3
Number of openings for flange plates	0
Standards	
Approvals	BS EN 62208
European directive WEEE	concerned
Safety	
IK protection code against mecanical impacts	IK10
Protection index IP	IP66
Protection class	isol.class II
REACH conform	No
RoHS conform	Yes