

Yes







Small support for KNX weather station

Technical properties

| Functions | |
|--|--|
| Precipitation (Yes/No) | 1 bit |
| Controls and indicators | |
| Button / push-button | with programming button |
| Voltage | |
| Operating voltage over bus | 2132 V DC |
| Dimensions | |
| Dimensions (LLxwwxhh) | 6,5x4,5x4 |
| Measurement | |
| Measuring range, wind speed | 035 m/s |
| Materials | |
| Material | aluminium |
| Material / surface | powder-coated |
| LED control | |
| LED | with red programming LED |
| Installation, mounting | |
| Installation mode | for flexible mounting of a weather station |
| Connection | |
| Bus coupling unit | with integral bus coupling unit |
| Type of connection | with plug-in terminals for power supply |
| Bus connection | bus connection via connecting terminal |
| Equipment | |
| Heating | with heater element for winter operation |
| Use | |
| Differentiation characteristic 3 - Sales | with integral bus coupling unit |
| Safety | |
| Protection index IP | IP44 |
| REACH conform | Yes |

Use conditions

RoHS conform

| Operating temperature | -3050 °C |
|-------------------------------------|--|
| temperatur | |
| Temperature measuring range, linear | -3080 °C |
| Identification | |
| Main design line | KNX |
| Instructions | |
| Information text | Ensure correct orientation and free-standing installation. |