



EV charging station witty park 1x7kW 1P M3T2S M2TE IP54 RFID

Technical properties

Architecture	
Connection system	Тур 2
Functions	
Function access control	Yes
With load management	Yes
Connectivity	
Number of charging points	1
Number of CEE socket outlets	0
Number of socket outlets GB	0
Number of socket outlets Type 2	1
Number of socket outlets Type 3	0
Number of vehicle connectors CHAdeMO	0
Number of vehicle connectors Type 1	0
Number of vehicle connectors Type 1 CCS	0
Number of vehicle connectors Type 2	0
Number of vehicle connectors Type 2 CCS	0
Main electrical features	
Frequency	50 Hz
Rated current	32 A
Dimensions	
Depth of installed product	233 mm
Height of installed product	480 mm
Length	480 mm
Width of installed product	346 mm
Power	
connected load	8 kW
Max. power per charging point	7.4 kW
Power supply	
Number of phases for the power supply	1 phase
Materials	
Colour	light grey
RAL colour	RAL 7035 - Light grey
Material	plastic

Material group	other
Scope of delivery	
Number of earth leakage circuit breakers type A	1
Equipment	
With energy meter	No
With house connection box	No
Number of household socket outlets	1
Number of vehicle connectors GB AC	0
Number of vehicle connectors GB DC	0
With circuit breaker	Yes
Standards	

compliant

European directive RoHs