

plastic



XEV202C

EV charging station witty park 1x22kW 3P M3T2S M2TE IP54 IP

Technical properties

Architecture	
Connection system	Typ 2
Functions	
Function access control	Yes
With load management	Yes
Connectivity	
Number of charging points	1
Number of CEE socket outlets	0
Number of socket outlets GB	0
Number of socket outlets Type 2	1
Number of socket outlets Type 3	0
Number of vehicle connectors CHAdeMO	0
Number of vehicle connectors Type 1	0
Number of vehicle connectors Type 1 CCS	0
Number of vehicle connectors Type 2	0
Number of vehicle connectors Type 2 CCS	0
Main electrical features	
Frequency	50 Hz
Rated current	32 A
Dimensions	
Depth of installed product	233 mm
Height of installed product	480 mm
Length	480 mm
Width of installed product	346 mm
Power	
connected load	22 kW
Max. power per charging point	22 kW
Power supply	
Number of phases for the power supply	3 phases
Materials	
Colour	light grey
RAL colour	RAL 7035 - Light grey

Material

Equipment	
With energy meter	Yes
With house connection box	No
Number of household socket outlets	1
Number of vehicle connectors GB AC	0
Number of vehicle connectors GB DC	0
With circuit breaker	No
Standards	

other

compliant

Material group

European directive RoHs