



14157106

Rocker, lab. field, lens, K.1, ant. matt, lacq.

Technical characteristics

_	_	_		
Cont	rols	and	india	ators

Push-buttons Rocker switch/rocker push-button Materials Colour of design line Colour	also for KNX applications: push-button, 1gang, and group push-button, 1gang for rocker push-buttons, for change- over/intermediate switch anthracite anthracite anthracite charcoal grey RAL 7021 - Black grey lacquered
Materials Colour of design line	over/intermediate switch anthracite anthracite anthracite charcoal grey RAL 7021 - Black grey
Colour of design line	anthracite anthracite charcoal grey RAL 7021 - Black grey
-	anthracite anthracite charcoal grey RAL 7021 - Black grey
Colour	anthracite charcoal grey RAL 7021 - Black grey
	RAL 7021 - Black grey
Colour	
RAL colour	lacquered
Material / workmanship	
Material	thermoplastic
Surface appearance	matt
Installation, mounting	
Installation mode	clamp fastening
Equipment	
Lighting	for lighting and monitoring circuit
Use cases	
Application	Light control
Use	
Differentiation characteristic 1 - Sales	with labelling field
Differentiation characteristic 2 - Sales	Lens
Safety	
REACH conform	Yes
RoHS conform	Yes
Halogen free	No
Identification	
Application, usage	Light control, Flush-mounted wet-room installation
Main design line	Berker K.1
Instructions	
	The IP44 degree of protection can only be achieved in conjunction with the appropriate neon, incandescent or LED lamp unit, as well as a sealing set for switches/push-buttons.

Information text	For labelling with names, notes etc. Labelling field height designed for 6 mm P-touch strip.