



16966089

Rocker , I.lab. field, lens, Q.1/Q.3, p. white velvety

Technical characteristics

Controls and indicators

Push-buttons	also for KNX applications: push-button, 1gang, and group push-button, 1gang
Rocker switch/rocker push-button	for change-over/intermediate switch, for rocker push-buttons

Dimensions

Labelling field (W x H)	54.8 x 42.8 mm
Height	58 mm
Width	58 mm

Materials

Colour of design line	polar white
Colour	polarwhite
Colour	white
RAL colour	RAL 9010 - Pure white
Material	duroplastic
Surface appearance	velvety

Installation, mounting

Installation mode	clamp fastening
-------------------	-----------------

Equipment

Lighting	for lighting and monitoring circuit
----------	-------------------------------------

Use cases

Application	Light control
-------------	---------------

Use

Differentiation characteristic 1 - Sales	with large labelling field
Differentiation characteristic 2 - Sales	Lens

Safety

Halogen free	Yes
--------------	-----

Identification

Application, usage	Light control, Flush-mounted wet-room installation, KNX - operating systems
Main design line	Berker Q.1/Q.3/Q.7/Q.9
Secondary design line(s)	Berker Q.1, Berker Q.3, Berker Q.7, Berker Q.9

Instructions

Special note text	The IP44 degree of protection can only be achieved in conjunction with the appropriate neon, incandescent or LED lamp unit, as well as a sealing set for switches/push-buttons.
Information text	For labelling with names, notes etc. Labelling field height designed for two 18 mm P-touch strips.