


75142329

IP20



Technical characteristics

Architecture

Fixing mode flush-mounting

Functions

With room temperature controller No

Function for switch, push-button, dimmer and shutter functions

Light scenes retrieval, adjustment and storage of 8 light scenes

Compatibility

Extension unit extension unit for light scene push-button

Controls and indicators

With LED indication Yes

Number of buttons 2

Operation one push-button operation for switching, pushing, shutters and dimming

Dimensions

Labelling field length (W x H) 56.4 x 26.8 mm

Height 71 mm

Width 71 mm

Measurement

Value transmitter value transmitter for dimming, position, brightness and temperature values 1 and 2 byte

Screen

With display No

Materials

Colour of design line polar white

Colour polarwhite

RAL colour RAL 9010 - Pure white

Material Plastic/metal

Material for printing Paper

Surface appearance velvety

Type of surface treatment untreated

Material family Plastic

LED control

LED with white operation LED and 4 amber status LEDs

| Settings | |
|--|---|
| Supported configuration modes | system |
| Parameterisation | single and two push-button operation parameterisable |
| Scope of delivery | |
| Bus connection included | Yes |
| Equipment | |
| Number of actuation points | 4 |
| With anti-theft/dismantling protection | Yes |
| Type of configuration | Beschriftungsfeld(er) - Folie |
| Product type: | product type: push-button 2gang |
| Controller extension unit | usable as thermostat extension unit |
| Use | |
| Differentiation characteristic 1 - Sales | with labelling fields |
| Differentiation characteristic 3 - Sales | with integral bus coupling unit |
| Safety | |
| Protection index IP | IP20 |
| Protection | with dismantling protection |
| Use conditions | |
| Operating temperature | -5...45 °C |
| Identification | |
| Application, usage | KNX - operating systems |
| Product family | product family: push-button |
| Main design line | KNX - Berker Q.1/Q.3 |
| Secondary design line(s) | Berker Q.1, Berker Q.3, Berker Q.7 |
| Instructions | |
| Information text | Labelling field sheet, order no. 9498 30 02, available separately. |