



75161094



B.IQ push-button 1gang, KNX - B.IQ, al., al. anodised

## **Technical characteristics**

With room temperature controller	No
Function	for switch, push-button, dimmer and shutter functions
Compatibility	
Extension unit	extension unit for light scene push-buttor
Controls and indicators	
With LED indication	Yes
Number of buttons	]
Dimensions	
Assembling height	16.7 mm
Height	88.5 mm
Width	88.5 mn
Measurement	
Value transmitter	dimming / position value transmitter 1 byte
Screen	
With display	Ne
Materials	
Colour of design line	Aluminiun
Material / workmanship	aluminium, anodised
Surface appearance	mat
LED control	
LED	with blue operation LED and 2 white status LED (labelling field illumination
Connection	
Bus coupling unit	for bus coupling unit flush-mounted
Scope of delivery	
Bus connection included	Ne
Accessories included	
Box	for installation in single standard wall boxes

for aluminium frames in the same "style" for additional applications, see the Design line B.7 ; for additional products to complement the installation in matching colours/materials, refer to the Design platform S.1/B.x

## Equipment

Matching products

Number of actuation points	2
With anti-theft/dismantling protection	Yes
Product type:	product type: B.IQ
Safety	
REACH conform	Yes
RoHS conform	Yes
Protection	with dismantling protection
Use conditions	
Operating temperature	-545 °C
Identification	
Application, usage	KNX - operating systems
Product family	product family: push-button
Main design line	KNX - Berker B.IQ
Secondary design line(s)	Berker B.IQ ; KNX