


75161770



### Technical characteristics

#### Functions

With room temperature controller	No
Function	for switch, push-button, dimmer and shutter functions

#### Compatibility

Extension unit	extension unit for light scene push-button
----------------	--

#### Controls and indicators

With LED indication	Yes
Number of buttons	1
Operation	one push-button operation for switching, pushing, shutters and dimming ; activation of second user level via object

#### Dimensions

Labelling field length (W x H)	66.8 x 52.8 mm
Height	52.8 mm
Width	66.8 mm

#### Measurement

Value transmitter	value transmitter for dimming, position, brightness and temperature values 1 and 2 byte
-------------------	---

#### Screen

With display	No
--------------	----

#### Materials

Colour of labelling	105,105,105
Colour of design line	polar white
Colour independent of design lines	polar white
RAL colour	RAL 9010 - Pure white
Material for printing	Paper
Surface appearance	glossy
Type of surface treatment	untreated
Material family	Plastic

#### LED control

LED	with white operation LED and 2 red status LEDs
-----	--

#### Connection

Bus coupling unit	for bus coupling unit flush-mounted
-------------------	-------------------------------------

---

**Settings**

Parameterisation single and two push-button operation  
parameterisable

---

**Scope of delivery**

Bus connection included No

---

**Equipment**

Number of actuation points 2

With anti-theft/dismantling protection Yes

Type of configuration Beschriftungsfeld(er) - Folie

Product type: product type: push-button 1gang

---

**Use**

Differentiation characteristic 1 - Sales with labelling field

Differentiation characteristic 3 - Sales with horizontal operation

---

**Safety**

Protection with dismantling protection

Alarm alarm telegram after disconnection from bus  
coupling unit 1 bit or 1 byte

---

**Use conditions**

Operating temperature -5...45 °C

---

**Identification**

Application, usage KNX - operating systems

Product family product family: push-button

Secondary design line(s) Berker K.1 ; KNX