



75164599

IP20

B.IQ push-button 4gang comf, I	KNX - B.IQ, p.	. white, matt, plastic
--------------------------------	----------------	------------------------

Technical characteristics

Architecture		
Fixing mode	flush-mounting	
Functions		
With room temperature controller	No	
Function	for switch, push-button, dimmer and shutter functions	
Compatibility		
Extension unit	extension unit for light scene push-buttor	
Controls and indicators		
With LED indication	Yes	
Number of buttons	4	
Operation	second operating level via object or 3-button handle, lockable via 3-button actuation, one push-button operation for switching, pushing, shutters and dimming	
Dimensions		
Height	118.1 mm	
Width	88.5 mm	
Measurement		
Value transmitter	value transmitter for dimming, position, brightness and temperature values 1 and 2 byte	
Screen		
With display	No	
Materials		
Colour of design line	polar white	
Colour	polarwhite	
RAL colour	RAL 9010 - Pure white	
Material	thermoplastic	
Surface appearance	matt	
Type of surface treatment	untreated	
LED control		
LED	with blue operation LED and 8 white status LEDs (labelling field illumination)	
Connection		

for bus coupling unit flush-mounted

Bus coupling unit

Supported configuration modes	system, PB	
Parameterisation	single and two push-button operation parameterisable	
Scope of delivery		
Bus connection included	No	
Accessories included		
Box	for installation in single standard wall boxes	
Matching products	for plastic frames in the same "style" for additional applications, see the Design line B.7, for additional products to complement the installation in matching colours/materials, refer to the Design platform S.1/B.x	
Equipment		
Number of actuation points	8	
With anti-theft/dismantling protection	Yes	
Type of configuration	Laserdruck	
Product type:	product type: B.IQ	
Safety		
Protection index IP	IP20	
REACH conform	Yes	
RoHS conform	Yes	
Protection	with dismantling protection	
Alarm	alarm telegram after disconnection from bus coupling unit 1 bit or 1 byte	
Use conditions		
Operating temperature	-545 °C	
Identification		
Application, usage	KNX - operating systems	
Product family	product family: push-button	
Main design line	KNX - Berker B.IQ	

KNX, Berker B.IQ

Secondary design line(s)