

















Universal remote control dimmer 1000W + display

Technical characteristics

Α.			cti	
AI	rcn	пте	CTL	ıre

Fixing mode	Din-Rail	
Main electrical features		
Rated operational voltage Ue	230 V	
Frequency	50 Hz	
Dimensions		
Depth of installed product	65 mm	
Height of installed product	85 mm	
Width of installed product	88.5 mm	
Power		
Halogen switching capacity 230V	20 / 1000 W	
Power consumed	6 W	
Power consumption (operation)	15 W	
Incandescent bulb power	20 / 1000 W	
Total power loss under IN	1 W	
Power dissipation per coil	1.3 W	
Materials		
RAL colour	RAL 7035 - Light grey	
Surface appearance	matt	
Incandescent bulbs control		
Max. power with incandescent lamps	1000 W	
Installation, mounting		
Mounting type	din-Rail	
Connection		
Connection cross-sect. flexible conductor	1 / 16mm²	
Connection cross-sect. rigid cable	1,5 / 10mm²	
Type of load	universal	
Type of connection	with screw	
Type of connection	with screw terminals	
Type of connection Type of connection	with s	

Brightness limit and dimming speed adjustable via

display

Settings

Setting

Equipment			
Dimming principle	automatic load detection		
Safety			
Protection index IP	IP20		
Use conditions			
Operating temperature	-1045 °C		