:hager

Consumer Unit Design 10 Time Delayed RCCB Incomer with SPD

For the distribution of power in a residential application, conforming to BS EN 61439-3 including Annex ZB (16kA rating).

The range of consumer units with a 100A rated current (InA) have been designed for installations where the upstream overcurrent protection device (OCPD) is rated at 100A or below.

Design 10 consumer unit is an entry level board designed for all applications and allows compliance with BS 7671:2018;

411.3.3 additional protection by means of a 30mA

RCD, 314.1&2 segregation of circuits to avoid danger and minimise inconvenience in the event of a fault, 522.6.202 protection of wiring concealed in walls or partitions.

Metal enclosure manufactured to allow compliance with BS 7671 regulation 421.1.201

Regulation 531.3.3 Selection of appropriate RCD. Type A RCCBs can detect and respond to both AC and pulsating DC components.


Regulation 536.4.3.2 & 536.4.202 overload protection of switches and RCCBs. For installations where the upstream overload protection is less than or equal to 100A.

Time delayed RCCB incomer boards are designed for use on TT systems. The complete installation is protected with a time delayed 100mA RCCB, whilst each circuit has supplementary 30mA protection provided by either a 30mA RCCB or a 30mA RCBO.

Regulation 443.4 Protection against transient over voltages, provided by factory fitted type 2 SPD.

Description	5126	Oat rei.
10 Way Configurable 100A 100mA Type A Time Delay RCCB + 100A 30mA RCCB Type A	5	VML910TGSPD
10 Way 100A 100mA Type A Time Delay RCCB Incomer + 2x100A 30mA RCCB Type A	6	VML955TGSPD







VML910TGSPD

Catura

Features & Benefits

- Cable clamp Secures supply cables on entry to main incoming device preventing any movement being transmitted through metertails to device
- Square cable entry points top and bottom for use with cable trunking (references available with or without knockouts)
- Rear Knockouts for ease of cable entry Cable protector plate provided
- Rigid top wall Enhances rigidity to prevent distortion when removing knockouts
- Locate and hold cover allows use of both hands whilst fixing cover
- Front cover retained screws Prevents loss during installation
- Full metal DIN rail Secure and stable attachment of devices

Quick release clip on MCB/RCBO – Allows removal of MCB/RCBO with busbar still in place

Sizo

- Optimised cabling space DIN rail position allows maximum cabling space
- Top mounted terminal rail makes the wiring of the neutral and earth connections neat and simple.
- Health and Safety lock allows the door to be secured with circuits isolated during construction (via accessory, see overleaf).
- Torque settings displayed inside front cover so they're easily accessible by the electrician.
- Lockable front door via an accessory (see overleaf).
- Factory Fitted Type 2 Surge Protection

Technical Characteristics

Standards	BS EN 61439-3
Classification	Consumer Unit
Rated & Operational Voltage (U _n /U _e)	230V a.c 50 Hz
Rated Insulation Voltage (U _j)	320V a.c. 50Hz
Rated Frequency (fn)	50 Hz
Rated impulse withstand voltage (U _{imp})	4kV
Rated Current of the Assembly (Ina)	100A
Rated Current of an Outgoing Circuit I _{nC}	MCB 6A-63A (Marked Rated Current on Device) RCBO ADA1**G - 40A - 45A (Marked Rated Current on Device) RCBO ADA3**G - 6A - 32A (Marked Rated Current on Device)
Rated Conditional Short Circuit of the Assembly (I_{CC})	Annex ZB: 16kA rms at 250V, power factor 0.6 with equipment and arrange- ments specified in Hager's technical documentation/catalogue
Protection against electric shock	Consumer Unit shall be installed in an electrical system conforming to IEC 60364 / BS 7671
Rated Diversity Factor (RDF) / Values of assumed loading	10 Way and above - 0.5
Note: RDF only applies to continuously and simultaneously loaded circu	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less tha
Note: RDF only applies to continuously and simultaneously loaded circu In principle, this means adjacent circuit breakers having a load on time of	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less tha
Note: RDF only applies to continuously and simultaneously loaded circu In principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indica	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less tha ated.
Note: RDF only applies to continuously and simultaneously loaded circul in principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS
Note: RDF only applies to continuously and simultaneously loaded circul in principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671
Note: RDF only applies to continuously and simultaneously loaded circul In principle, this means adjacent circuit breakers having a load on time the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671
Note: RDF only applies to continuously and simultaneously loaded circu In principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of
Note: RDF only applies to continuously and simultaneously loaded circul In principle, this means adjacent circuit breakers having a load on time the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly Degree of protection	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of IP4X to be maintained.
Note: RDF only applies to continuously and simultaneously loaded circul in principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly Degree of protection	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of IP4X to be maintained. Intended for use in domestic (residential) or similar premises
Note: RDF only applies to continuously and simultaneously loaded circul In principle, this means adjacent circuit breakers having a load on time the 'on' time will need to have the rated diversity factor applied as indicated Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly Degree of protection Intended use Electromagnetic compatibility (EMC) classification External design	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of IP4X to be maintained. Intended for use in domestic (residential) or similar premises EMC environment B
Note: RDF only applies to continuously and simultaneously loaded circul n principle, this means adjacent circuit breakers having a load on time the 'on' time will need to have the rated diversity factor applied as indica Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly Degree of protection Intended use Electromagnetic compatibility (EMC) classification External design Mechanical impact protection	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of IP4X to be maintained. Intended for use in domestic (residential) or similar premises EMC environment B Wall mounted, surface type, enclosed assembly.
Note: RDF only applies to continuously and simultaneously loaded circul in principle, this means adjacent circuit breakers having a load on time of the 'on' time will need to have the rated diversity factor applied as indicat Pollution Degree Types of System Earthing for which the assembly is designed Intended locations Stationary assembly Degree of protection Intended use Electromagnetic compatibility (EMC) classification	exceeding 30 minutes or where a load not exceeding 30 minutes has an 'off' time less that ated. 2 TT, TNC-S and TN-S when installed in an electrical system conforming to BS 7671 Indoor use only IP2XC with door open / closed and full compliment of devices / blanks fitted. Note: Where cables are installed through the top wall of the enclosure, gaps of IP4X to be maintained. Intended for use in domestic (residential) or similar premises EMC environment B Wall mounted, surface type, enclosed assembly. IK05

Accessories

Cable protector plate	Provides protection for cables entering from the rear of the board	VM02CE
Health and safety lock	Provides the ability to lock the consumer unit during the installation process	VMHBL
Design 30 door locking kit	Allows the board to be lockable	VMLOCK
Grommet strip	For protecting cables against damage when entering the board	VM05GS
Rear stand off plates	To stand consumer unit off wall allowing surface mounted cables to enter through rear of unit.	VM01SP


Devices

MCB 6kA 6A to 63A B Curve	MTN***
Single Pole, Single Mod RCBO 6kA, 40A - 45A Type A	ADA1**G

Single Pole, Single Mod Reduced Height RCBO 6kA, 6A - 32A Type A


	Design 10 Dimensions (mm)	Enclosur	re Size
		5	6
	Height	246	246
	Width	364	406
	Depth 1	83	83
	Depth 2	100	100
		Number	of Knockouts
	*Top Face 30 x 25 (mm)	2	2
	*Top Face 40 x 30 (mm)	4	6
\bigcirc	Back 100 x 50 (mm)	3	3
	*Bottom Face 30 x 25 (mm)	4	5

* References with a 'K' suffix feature top and bottom square knockouts.



:hager

SPB015, SPB015N



Key Specifications

- Power Supply System -TN / TT
- Requirement class -SPD class II acc. to IEC 61643-11; SPD Type 2 acc. to EN 61643-11
- Max. continuous operating voltage Uc -L-N: 275 V a.c. / N-PE: 260 V a.c.
- Nominal voltage Un -230/400 V AC 50/60 Hz
- Nominal discharge current In (8/20) microseconds 20 kA
- Max. discharge current I max (8/20) microseconds 40 kA

- Combination of high capacity voltage limiting varistors and N-PE spark gap
- Suitable for CT2 connection as per 534.4.3.2 BS7671 18th Edition
 - Optical status indication for each cartridge Clear = Healthy, Red/DEFECT = Replace
- Pluggable surge protection modules for ease of replacement
- Each cartridge incorporates its own thermal disconnect mechanism
- Cartridges are mechanically coded to prevent mis-connection
- Cartridges can be routinely checked and changed if required without interrupting supply to loads
- No secondary back-up protection required.

Standards/regulations	IEC 61643-11 2011 EN 61643-11 2012
IEC test classification	T2
EN type	T2
Mode of protection	L-N L-PE N-PE
Mounting type	DIN rail: 35 mm
Degree of pollution	2
Overvoltage category	
Degree of protection	IP20
Ambient temperature (operation)	-40 °C 80 °C
Ambient temperature (storage/transport) Permissible humidity (operation)	-40 °C 80 °C

_

Electrical Data

Nominal voltage U _n	230 / 400 V AC (TN / TT)
Nominal frequency fn	50 Hz (60 Hz)
Maximum continuous operating voltage Uc (L-N)	275 V AC
Maximum continuous operating voltage Uc (N-PE)	260 V AC
Residual current IPE	≤ 5 uA
Standby power consumption Pc	≤ 360 mVA
Nominal discharge current In (8/20) µs	20 kA
Maximum discharge current Imax (8/20) µs	40 kA
Follow current interrupt rating I _{fl} (N-PE)	100A
Short-circuit current rating IsccR	50kA
Voltage protection level Up (L-N)	≤ 1.5 kV
Voltage protection level Up (L-PE)	≤ 1.5 kV
Max. backup fuse	125 A (gG)